Minutes EBG meeting	European forum for energy Business Information eXchange	
February 13 th , 2023	EBG (ebIX® Business Group)	

Date: Monday February 13th, 2023

Time: 09:30 –10:00
Place: GoToMeeting
Present: Gerrit, EDSN

Jan, Svenska kraftnät

Ove, Edisys

Appendix A: Status for update of BRSs **Appendix B:** EBG project and survey list

Appendix C: Mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to

CIM

Attachments: None

1 Approval of agenda

The agenda was approved.

The meeting lasted for only half an hour due to other meeting appointments and sickness.

2 Approval of minutes from previous meeting

The minutes from previous meeting were approved after correction of some spelling errors found by Jan.

3 Prepare kick-off meeting of "Alignment of master data for areas project"

The kick-off meeting is planned Tuesday February 21st, 10:00 to 12:00.

Ove had as homework drafted a "skeleton" for the new ebIX® BRS for Alignment of Area characteristics, which was reviewed and agreed used as a basis for discussions in the project.

Jan noted that it could be good to start with a short brainstorming before the review of the BRS skeleton.

4 HEMRM issues

4.1 MR for addition of Grid Connection to the HEMRM

Ove had as action drafted a MR for addition of Grid Connection to the HEMRM, which was reviewed and slightly updated. ETC will be asked to review it at their meeting February 14th and 15th and thereafter forward it to the HG.

4.2 Review of comments to ebIX® comments by HG at meeting January 31st

The item was postponed.

5 Request for new MRs from NMEG

The item was postponed.

6 Update of BRSs

6.1 Review of memo: "Usage of attributes in confirm and reject documents in ebIX BRSs"

The item was postponed.

6.2 Update of BRSs

Ove had as action gone through most of the BRSs to see if we should change anything. The result is shown in Appendix A.

The item was postponed.

6.3 Making an introduction to the ebIX® BRSs

The item was postponed.

7 Review of CIM definitions for classes and attributes based on mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to CIM

The item was postponed.

8 Review of ebIX domain model (low priority item)

The item was postponed.

9 Meeting schedule

GoToMeetings:

• Every Monday until (including) July 3rd, 2023, except for holydays.

Physical meeting:

• Tuesday April 25th and Wednesday April 26th at Svenska kraftnäts offices in Sundbyberg (Stockholm).

10 AOB

No items.

Appendix A Status for update of BRSs

A.1 Structure BRSs

#	BRS	Shall we:	Status
		 Rename the class "Reconciliation information" to "Energy volume information"? Add attribute "Consumption detail" to "Energy volume information" class? Add Metered Data Administrator ID and/or Metering Point Administrator ID? Add Accounting Point level and Grid Connection ID to the root class? Other additions? 	
1.	BRS for administration of consent	Not applicable.	
2.	BRS for Alignment of AP characteristics	Already updated.	
3.	BRS for Alignment of Area characteristics	Not applicable.	 Earlier agreed, but not yet, published: Updated the definition of the role Market Operator. Updated introduction (chapter A). Updated Appendix A.
4.	BRS for Alignment of characteristics of a Customer at an AP	Not applicable.	 Earlier agreed, but not yet, published: Updated introduction (chapter A). Updated Appendix A.
5.	BRS for Alignment of metering configuration characteristics	 Shall we add Metered Operator or other related roles? Shall we add Grid Connection ID? Can a meter be connected to a sub-AP? If yes: Shall we add Accounting Point level? 	 Earlier agreed, but not yet, published: Addition of clarifying text in chapter A Hiding attributes from the root class in Appendix A, to make the class diagrams more readable. Update of spelling errors
6.	BRS for bulk change of BRP		 Earlier agreed, but not yet, published: Harmonised the introduction with other ebIX® BRSs. Correction of spelling errors.

#	BRS	Shall we:	Status	
		 Rename the class "Reconciliation information" to "Energy volume information"? Add attribute "Consumption detail" to "Energy volume information" class? Add Metered Data Administrator ID and/or Metering Point Administrator ID? Add Accounting Point level and Grid Connection ID to the root class? Other additions? 		
7.	BRS for Bulk change of Shipper	Not applicable.	 Earlier agreed, but not yet, published: Harmonised the introduction with other ebIX® BRSs. Moved Reference to requesting Transaction ID to Async Additions. Correction of spelling errors. Update of roles to be in line with HEMRM (renamed Balance Supplier to Energy Supplier, incl. update of the definition). 	
8.	BRS for Change of BRP	Not applicable.	 Earlier agreed, but not yet, published: Harmonised the introduction with other ebIX® BRSs. Moved Reference to requesting Transaction ID to Async Additions. Correction of spelling errors. Update of roles to be in line with HEMRM (renamed Balance Supplier to Energy Supplier, incl. update of the definition). 	
9.	BRS for Change of Metered Data Responsible	Not applicable.	 Earlier agreed, but not yet, published: Harmonised the introduction with other ebIX® BRSs. Moved Reference to requesting Transaction ID to Async Additions. Correction of spelling errors. Update of roles to be in line with HEMRM (renamed Balance Supplier to Energy Supplier, incl. update of the definition). 	

щ	BRS Shall we: Status				
#	BRS	Snail we:	Status		
		Rename the class "Reconciliation			
		information" to "Energy volume information"?			
		Add attribute "Consumption detail" to			
		"Energy volume information" class?			
		Add Metered Data Administrator ID			
		and/or Metering Point Administrator ID?			
		Add Accounting Point level and Grid			
		Connection ID to the root class?			
		Other additions?			
10.		Not applicable.	Earlier agreed, but not yet, published:		
			 Harmonised the introduction with other ebIX® BRSs. 		
			Moved Reference to requesting		
	BRS for Change		Transaction ID to Async Additions.		
	of Shipper		Correction of spelling errors.		
			Update of roles to be in line with		
			HEMRM (renamed Balance Supplier		
			to Energy Supplier, incl. update of the		
			definition).		
11.		Not applicable.	Earlier agreed, but not yet, published:		
	BRS for Change		Updated role definitions incl. update		
	of supplier		of Energy Supplier to fit gas.		
			 Hiding attributes from the root class in Appendix A, to make the class 		
12.		Not applicable.	Earlier agreed, but not yet, published:		
	Combined grid and supply		Harmonised the introduction with other ebIX® BRSs.		
	billing		Hiding attributes from the root class		
	. 0		in Appendix A, to make the class.		
			Correction of spelling and		
			grammatical errors.		
13.	BRS for	Not applicable.	Earlier agreed, but not yet, published:		
	Consented		Harmonised the introduction with		
	request for		other ebIX® BRSs.		
	Accounting		Hiding attributes from the root class		
	Point characteristics		in Appendix A, to make the class.		
	Cital actel IStics				
14.		Not applicable.	Earlier agreed, but not yet, published:		
	BRS for		 Harmonised the introduction with other ebIX® BRSs. 		
	Customer move		 Hiding attributes from the root class 		
			in Appendix A, to make the class.		
Ц					

#	BRS	Shall we:	Status
		 Rename the class "Reconciliation information" to "Energy volume information"? Add attribute "Consumption detail" to "Energy volume information" class? Add Metered Data Administrator ID and/or Metering Point Administrator ID? Add Accounting Point level and Grid Connection ID to the root class? Other additions? 	
15.	BRS for End of Metered Data Responsible	TBD	Updated definitions of Metered Data Responsible and Metering Point Administrator incl. update of the definition.
	Responsible		Updated attribute sequence in class diagrams.
16.	BRS for End of supply	TBD	Updated definitions of BRP, Balance Supplier (to Energy Supplier) and Metering Point Administrator incl. update of the definition. Updated attribute sequence in class diagrams.
17.	BRS for Manage APs	TBD	No changes to roles or other updates needed. Updated attribute sequence in class diagrams.
18.	BRS for Rearrange MPs between grids	TBD	Updated definitions of BRP, Balance Supplier (to Energy Supplier) and Metering Point Administrator incl. update of the definition.

A.2 Measure BRSs

#	BRS	shall we add Consumption detail and/or move Fuel and Technology?	Status	
1.	BRS for Measure for Billing	Not applicable.	 Earlier agreed, but not yet, published: However, the sequence of attributes in "Series characteristics" in "Validated measured data for billing" has been updated (Moved Resolution to the Product, unit cluster) and the layout in Appendix A have been updated. Exchange UCs has been renamed to Notify. Updated Appendix A. 	
2.	BRS for Measure for Collected Data	Not applicable.	Already aligned with latest HEMRM.	
3.	BRS for Measure for determine and notify validated meter read	Not applicable.	 Earlier agreed, but not yet, published: Exchange UCs and documents has been renamed to Notify. The BRS is renamed from "BRS for Measure for determine and exchange validated meter read" to "BRS for Measure for determine and notify validated meter read". 	
4.	BRS for Measure for Imbalance Settlement	Already added and the BRS is published.	Already aligned with latest HEMRM.	
5.	BRS for Measure for Reconciliation	Not applicable.	Already aligned with latest HEMRM.	
6.	BRS for Measure for renewable energy certificates	Not applicable.	 Earlier agreed, but not yet, published: Moved Resolution to the Product, unit cluster in all class diagrams. Updated Appendix A 	
7.	BRS for Validate and notify measured data	Not applicable.	 Earlier agreed, but not yet, published: Moved Resolution to the Product, unit cluster in all class diagrams. Exchange UCs and documents has been renamed to Notify. The BRS is renamed from "BRS for Validate and exchange measured data" to "BRS for Validate and notify measured data" 	

A.3 Distributed Flexibility BRSs

#	BRS	Status	Comments
1.	BRS for Flexibility register administration	 The published version: Is already aligned with latest HEMRM. Grid Connection ID is already added. 	
2.	BRS for Prepare and aggregate Resources for flexibility services	 The published version: Is already aligned with latest HEMRM. Grid Connection ID is already added. 	
3.	BRS for Quantification and settlement of flexibility services	The published version: Is already aligned with latest HEMRM. Grid Connection ID is already added.	

A.4 Settlement and reconciliation BRSs

#	BRS	Status	Comments
1.	BRS for Settle for Reconciliation	TBD autumn 2024	

Appendix B EBG project and survey list

B.1 Potential projects

#	Project description	Priority	Start	
A)	Review what attributes to send in a confirmation (e.g. all from the request, only approve/disapprove or some core attributes, such as AP)	High	20220206: • Started February 2023	
B)	Efficient data alignment, including the possibility to request historical and/or future master data. See "very general" data act from EU: https://ec.europa.eu/info/law/better-regulation/have-your-say/initiatives/13045-Data-Act-amended-rules-on-the-legal-protection-of-databases en . EBG should start with aa survey for the need of such a project.	To be decided by ebIX® Forum	 We will ask ebIX® Forum for participants in a new project. 	
C)	Discuss differentiation of data sets per Entitled Role when aligning master data (e.g. when referencing notification of AP master data in a BRS) based on GDPR	High	• We will ask ebIX® Forum for participants in a new project.	
D)	Making a BRS for alignment of Exchange Point characteristics	High	Hopefully a part of the common energy market area project	
E)	Making an introduction to the ebIX® BRSs, including an overview of the BRSs and a short description.	In finalising RtR	20220206:Will be put on next EBG agenda	
F)	It is assumed that the EC will decide to use IEC basic CIM as the reference Information Model, hence we should bring our definitions in line with IEC CIM. This can be done by changing our definitions, or by submitting maintenance requests to IEC TC57/wg16 (eventually to be forwarded by wg16 to wg14).	Medium	20220206:Is on the EBG/ETC agenda	
G) Update of Gas Role Model with addition of Aggregated Reception Station, Calorific Value Area and Temperature Area for gas.		Low	When the Gas Role Model starts adding domains.	
		This is a to- remember item	20220206: ● TBD	
I)	Verify extensions to the definitions of roles with the group harmonising the electricity and gas markets role models before adding the extension to the role definitions in a BRS to include gas.	Continuous	When updating role definitions in BRSs	
J)	Review of BRS for Settle for Reconciliation, ref. minutes from EBG meeting October 10th, 2022.	Low	Autumn 2024	

B.2 Approved (and running) projects


#	Project	Members	Status	Start	End
A)	Common energy market area project	EBG: Bartosz, Boštjan (?), Gerrit, Kees and Ove. "External": Douglas (ENTSOG), Jon-Egil (ENTSO-E/CIM EG) and ? from EU DSO Entity	Hopefully start October 2022	February 2023	?

B.3 Surveys

#	Survey	Status
A)	None.	

Appendix C Mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to CIM

The mapping will be reviewed by ETC, while EBG will look into the definitions of classes and attributes to see if we need to update the ebIX® definitions or if we should send maintenance requests to IEC for update of the CIM definitions.



BRS attribute	BRS definition	CIM attribute	CIM definition
«Business entity» Validated measured data for continuous metered AP	The information set sent by a Metered Data Responsible to the Metered Data Administrator when exchanging validated measured data for continuous metered AP	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Accounting Point ID	The unique identification of the Accounting Point to which the validated measured data are attributed.	MarketEvaluationPoint / mRID	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended.
			For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
Observation period	The specific period of time the validated measured data have been measured, calculated or estimated for.	Series_Period / timeInterval	The start and end date and time for a given interval.
Registration date and time	The date and time of the validation (and storage in the database) of this set of validated measured data.	DateAndOrTime / dateTime	Date and time as per ISO 8601 YYYY-MM-DDThh:mm:ss.sssZ.
Series characteristics	The characteristics of this set of validated measured data, i.e., the product and flow direction.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Product identifier	A code specifying the energy product for the quantities in this set of validated measured data.	Series / product	The type of the product such as Power, energy, reactive power, transport capacity that is the subject of the time series.
Product measure unit	The unit of measure used for the quantities in this set of validated measured data.	Measure_Unit / name	The coded representation of the unit.
Direction	A code specifying the direction of the energy flow that was measured with this validated measured data. A flow from the Accounting Point into the Metering Grid Area	MarketEvaluationPoint / type	Specifies if the Market Evaluation Point is an Exchange Point or an Accounting Point.
	is defined as production and a flow from the Metering Grid Area into the Accounting Point is defined as consumption.		

BRS attribute	BRS definition	CIM attribute	CIM definition		
Resolution	The resolution is the time between two observations, leading to the number of observations in this timeseries (calculated from the Observation Period divided by the Resolution).	Series / resolution	The number of units of time that compose an individual step within a period.		
	The Observation Period must contain a whole number of observations as derived from the resolution.				
	The resolution is expressed in compliance with ISO 8601 in the following format:				
	PnYnMnDTnHnMnS.				
	For example PT15M for 15 minutes resolution.				
Rest Volume	The Rest Volume is used for a volume that cannot be related	Quantity / quantity	The quantity value.		
	to the 'normal' measured time series observations, i.e., the difference, for the Observation Period, between the startand end meter read and the aggregated volume from the exchanged time series.		The association role provides the information about what is expressed.		
Register read	A read from the register of the Meter linked to the Accounting Point and characteristics of the read. This read is at the basis of the validated measured data in the Observation.	N/A			
Read ¹	The value as read from or calculated for the register, for this Read date and time in the Observation period.	Point / quantity	Principal quantity identified for a point.		
Read date and time	The timestamp of the moment in time when the value was registered in the Register of the Meter or the value was calculated for.	N/A			
Origin	A code specifying the role of the party that has retrieved or calculated the read.	N/A			
Read quality	The quality of this read, such as estimated, remotely read or physically read.	Point / quality	The quality of the information being provided. This quality may be estimated, not available, as provided, etc.		
Meter ID	The unique identification of the Meter linked to the Accounting Point, which contains the register that has been read.	N/A			

¹ If the Register read is missing, the Meter Reading Origin Code shall be "**E28** From Metered Data Responsible" and the Quantity Quality Code shall be "**56** Estimated".

BRS attribute	BRS definition	CIM attribute	CIM definition
Register ID	The unique identification of the Register within the Meter, where this data has been read from or is estimated for.	N/A	
Observation	One validated measured value within a timeseries.	N/A	
Position	The ordinal position of this Observation in this Observation Period for this set of validated measured data. Point / position A sequential value representing the within a given time interval.		A sequential value representing the relative position within a given time interval.
Quantity	The validated quantity of energy for this Observation.	Point / quantity	Principal quantity identified for a point.
Quantity quality	The quality of this quantity (volume), such as validated (default value, hence not sent), estimated, or temporary.	Point / quality	The quality of the information being provided. This quality may be estimated, not available, as provided, etc.
Origin	A code specifying the role of the party delivering the Quantity.	N/A	
Validated measured data for continuous metered AP additions	Additional information, related to validated measured data, the use of which may be agreed on a national level.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Transaction ID	The unique identification of this set of information as given by the Metered Data Responsible.	Series / mRID	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended.
			For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
Validated measured data for continuous metered AP async additions	Additional information related to validated measured data needed when using asynchronous communication.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Reference to request	Information about the request for this set of validated measured data for continuous metered AP which uniquely identifies it.	Series / mRID	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended.
			For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.

Target	1 DateAndOrTime	2 MarketEvaluationPoint	3 Measure_Unit	4 Point	5 Quantity	6 Series	7 Series_Period
Source							_
				Maps To Quant quality			
Observation				Maps To Position position			
				Maps To			
				Maps To Quantity quantity			
Register read				Maps To Read quantity			
				Maps To Read quality			
;						Mans To	
Series characteristics		Maps To	Maps To		Maps To	Maps To Produ product	Maps To
		Direct type	Produ name		Rest V quantity	Maps To	Resol resolu.
,							
/alidated measured dat	Maps To Regist → dateTi	Maps To Accou mRID				Maps To	Maps To Obser timel.
s /alidated measured dat						Maps To Trans mRID	
						IIIAIIS	
						Maps To	
s /alidated measured dat						Maps To	
						>	
						Maps To Refer mRID	