

Minutes EBG meeting	 European forum for energy Business Information eXchange
May 31 st , 2022	EBG (ebIX® Business Group)

Date: Monday, May 30th, 2022

Time: 14:00 – 15:30

Place: GoToMeeting

Present: Boštjan, SODO

Gerrit, EDSN

Jan, Svenska kraftnät

Joachim, Westnetz

Ove, Edisys

Appendix A: June 8th and 9th - venue, hotel and travel information from Andrzej

Appendix B: Status for BRS review

Appendix C: EBG project and survey list

Appendix D: Mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to CIM

Attachments: None

1 Approval of agenda

The agenda was approved.

2 Approval of minutes from previous meeting

The minutes from previous meeting were approved.

3 Prepare agenda for our meeting in Warszawa June 8-9

The proposed agenda was reviewed and approved. The agenda is already distributed to EBG.

4 Status for “Alignment of master data for areas project”

The status for invitation of the EFET, EASEE-gas, ENTSO-E (CIM EG), ENTSOG and EU DSO Entity to participate in the “Alignment of master data for areas” project has not changed since previous meeting, i.e. both the EU DSO Entity and ENTSO-E are positive but have not yet found any participant(s), while ENTSOG will participate as observer.

5 Finalise review of BRS for Measure for imbalance settlement

A question is added to the next ETC agenda, June 10th, if we can remove “Party” from “Imbalance Settlement Responsible **Party**” in the code list (“DDX”), to be in line with the HEMRM.

Ove had started on the update for BRS for Measure for imbalance settlement but since we at the previous meeting agreed to give priority to BRS for Measure for reconciliation, the update was not finalised. However, there were some questions/comments in the BRS that were discussed:

- Ove will make a first draft of an introduction, i.e. an explanation of the process involved *leading to* imbalance settlement in the beginning of chapter 1.
- The class diagram for “Request aggregated validated measured data per area” was revised and simplified. Only attributes needed in a request were kept. In addition, the option for the Reconciliation Responsible to propose changes to “aggregated validated measured data per area” received from the Metered Data Administrator was removed.
-

Action:

- Ove will continue the update of the BRS for Measure for imbalance settlement.

6 Start review of BRS for Measure for reconciliation

Ove had as action from previous meeting prepared the first chapters of the BRS so that the structure is like the structure in the BRS for Measure for billing. The BRS was reviewed and among others the following changes agreed:

- Two bullet points were added to chapter “1.2 Basic assumptions”, taken from chapter “2.6 Aggregate for Reconciliation”:
 - The role of Reconciliation Accountable is left out of this request process, since the Reconciliation Accountable either coincides with the Balance Supplier (who will receive the metered data as part of the exchange of metered data for billing) or with the Balance Responsible Party.
 - We see no need for exchange of aggregated measured data for reconciliation.
- “Measured” will be added to all occurrences of “validated **measured** data...”.
- A discussion related to Preliminary Profiled Consumption (PPC), also called preliminary load shares, was postponed until we start on BRS for settle for reconciliation, hopefully day 2 during our physical meeting next week. A reminder was added to this BRS.
- Chapter “2.6 Aggregate for Reconciliation” was deleted.

Action:

- Ove will continue the update of the BRS for Measure for reconciliation.

7 Review of CIM definitions for classes and attributes based on mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to CIM

See Appendix D.

The item was postponed.

8 Meeting schedule

GoToMeetings:

- Every Monday from 14:00 to 15:30, scheduled until July 4th, 2022, except for holydays.

Physical meeting:

- June 8th and 9th - venue, hotel and travel information from Andrzej can be found in Appendix A.

9 AOB

No items.

Appendix A June 8th and 9th - venue, hotel and travel information from Andrzej

Time schedule:

Day 1: June 8th, 8:00-17:00 - **Note:** the EBG meeting start at 9:00

Day 2: June 8th, 8:00-17:00 - **Note:** the EBG meeting start at 9:00

Place of meeting:

Name: Varso Place

Street: Chmielna 73, Warsaw (Poland)

Entrance: Varso 2

Floor: 1st

Room name: „Strategy”

Google maps: [VarsoPlace](#)

Accommodation (hotel proposals):

NYX Hotel (Recommended)

71 Chmielna Street

Warsaw

<https://www.nyx-hotels.com/warsaw>

Booking.com: [HotelNYX](#)

Mercure Warszawa Centrum

48/54 Zlota Street

Warsaw

<https://mercure-warszawa-centrum-hotel.at-hotels.com/en/>

Booking.com: <http://www.booking.com/Share-9NEVmzu>

Holiday Inn

52 Twarda Street

Warsaw

<https://poland.ihg.com/hotele/hotel-holiday-inn-warsaw-city-centre/>

Booking.com: [Holiday Inn - Warsaw City Centre](#)

Transport (city center – close to proposed hotels and place of meeting)

The best way to get to city center from the Warsaw Chopin Airport is by train. It's “under” airport, it's cheap (4,40 PLN – about 1 euro) and fast (about 25 minutes). You should leave at *Warszawa-Centralna* station. More info you can find here: <https://www.lotnisko-chopina.pl/en/train.html>

You can also order Uber/Bolt or taxi. If you are ordering Uber/Bolt, you should remember to enter the first floor - departures hall, not arrivals. From there, you should order Uber through the application by selecting the place (terminals AB or terminals CDE). The Uber should cost around 30 PLN (7 €). Taxi you should be able to order from ground floor – departures, outside. Taxi should cost around 40 PLN (9€). Travel time: about 30 minutes.

Appendix B Status for BRS review

Structure BRSs			
#	BRS	Status	Comment
1.	Administer Customer Consent	Published at www.ebix.org	Finished
2.	Alignment of Accounting Point characteristics	Published at www.ebix.org	<p>Finished</p> <p>To remember: Review of MR NMEG 2021/2 – Addition of a Supply Start Date to the AP Administrative Characteristics class,</p> <p>To remember: Review of MR NMEG 2021/3 – Addition of a Reporting resolution and Reporting Interval to the AP Administrative Characteristics class.</p> <p>To remember (20210913): Sub Accounting Points have been introduced in the BRS for Prepare and aggregate Resources, hence EBG should introduce references to parent and child APs, or another way of handling Sub Accounting Points, in the BRS for Alignment of AP characteristics BRS (parent and child APs are for instance used in Denmark)? Sub Accounting Points.</p>
3.	Alignment of Area Characteristics	Published at www.ebix.org	
4.	Alignment of characteristics for a Customer linked to an AP	Published at www.ebix.org	Finished
5.	Alignment of Metering Configuration Characteristics	Published at www.ebix.org	Finished
6.	Bulk change of BRP	Published at www.ebix.org	Finished
7.	Bulk change of Shipper	Published at www.ebix.org	Finished
8.	Change of BRP	Published at www.ebix.org	Finished
9.	Change of Metered Data Responsible	Published at www.ebix.org	Finished
10.	Change of Shipper	Published at www.ebix.org	Finished
11.	Change of supplier	Published at www.ebix.org	Finished

Structure BRSs			
#	BRS	Status	Comment
12.	Combined grid and supply billing	Published at www.ebix.org	Finished
13.	Consented (earlier Upfront) request for Metering Point Characteristics	Published at www.ebix.org	Finished
14.	Customer move	Published at www.ebix.org	Finished. To remember (20210913): A Flexibility Register Administrator has been introduced in the BRS for Quantify and settle flexibility services, hence the EBG should introduce the Flexibility Register Administrator to the BRS for Customer Move.
15.	End of Metered Data Responsible	Published at www.ebix.org	Finished
16.	End of supply	Published at www.ebix.org	Finished
17.	Manage Accounting Points	Published at www.ebix.org	Finished
18.	Rearrange MPs between grids	Published at www.ebix.org	Finished

Measure BRSs			
#	BRS	Status	Comment
1.	BRS for Measure Calorific Value	Finished	<ul style="list-style-type: none"> The content of the BRS is moved to a separate UseCase in BRS for Measure for Billing
2.	BRS for Measure for Billing	Finished	20211209: <ul style="list-style-type: none"> Published at www.ebix.org
3.	BRS Validated measured data	Finished	20220221: <ul style="list-style-type: none"> Published at www.ebix.org

Measure BRs			
#	BRS	Status	Comment
4.	BRS for Measure for Collected Data	Finished	<p>20200402:</p> <ul style="list-style-type: none"> Published at www.ebix.org. <p>20200608:</p> <ul style="list-style-type: none"> “Collected Data” should be renamed to “Collected <i>Measured</i> Data” <p>20220104:</p> <ul style="list-style-type: none"> The BRS need a layout update, incl. renaming of the term “negative response” to “Rejection”.
5.	BRS for Measure for determine and exchange validated meter read	Finished	<p>20220310:</p> <ul style="list-style-type: none"> Published at www.ebix.org.
6.	BRS for Measure for Imbalance Settlement	<p>20220131:</p> <ul style="list-style-type: none"> EBG/RtR review to started. 	<p>20200615:</p> <ul style="list-style-type: none"> Include handling of MR “NMEG 2020-01”.
7.	BRS for measure for renewable energy certificates	Finished	<p>20220221:</p> <p>Published at www.ebix.org</p>
8.	BRS for Measure for Reconciliation	To be reviewed	<p>20210125:</p> <ul style="list-style-type: none"> Investigate the need for addition of MDR and MGA in the “root class”, ref Dutch requirements.
9.	BRS for Settle for Reconciliation	To be reviewed	<p>20210125:</p> <ul style="list-style-type: none"> Investigate the need for addition of MDR and MGA in the “root class”, ref Dutch requirements.

Appendix C EBG project and survey list

C.1 Potential projects

#	Project description	Priority	Start
A)	Review what attributes to send in a confirmation (e.g. all from the request, only approve/disapprove or some core attributes, such as AP)	First possible face-to-face meeting	First possible face-to-face meeting
B)	Review and propose update to the HRM, based on new procedures from ETC and EBG, ref minutes from ebIX® Forum meeting March 24 th , 2020.	After review of BRSs	TBD
C)	Efficient data alignment, including the possibility to request historical and/or future master data.	EBG must do a survey for the need of such a project	Not prioritised
D)	Discuss differentiation of data sets per Entitled Role when aligning master data (e.g. when referencing notification of AP master data in a BRS)	EBG task – will be linked to “C), Efficient data alignment” task and GDPR	To be started Q1 2021
E)	Making a BRS for alignment of Exchange Point characteristics	TBD	TBD
F)	1) Making MRs to the HG for definition for and relations between Gateway, Gateway Operator and Gateway Administrator 2) Making a BRS for Gateway related stuff.	Awaiting decision in Germany or elsewhere	TBD
G)	Making an introduction to the ebIX® BRSs, including an overview of the BRSs and a short description.	In finalising RtR	TBD
H)	Review of MR NMEG 2021/2 (to ebIX®) – Addition of a Supply Start Date to the AP Administrative Characteristics class in Alignment of AP characteristics BRS	TBD	TBD
I)	Review of MR NMEG 2021/3 – Addition of a Reporting resolution and Reporting Interval to the AP Administrative Characteristics class. in Alignment of AP characteristics BRS	TBD	TBD
J)	It is assumed that the EC will decide to use IEC basic CIM as the reference Information Model, hence we should bring our definitions in line with IEC CIM. This can be done by changing our definitions, or by submitting maintenance requests to IEC TC57/wg16 (eventually to be forwarded by wg16 to wg14).	TBD	A first mapping from an ebIX® class diagram to CIM will be done during summer 2021.
K)	Update of Gas Role Model with addition of Aggregated Reception Station, Calorific Value Area and Temperature Area for gas.	TBD	When the Gas Role Model starts adding domains.

#	Project description	Priority	Start
L)	Update definition of Accounting Point in the HRM.	TBD	When the flex project has concluded.
M)	Making an ebIX® BRS for Exchange Point Characteristics	To be started after finalising review of measure BRSs.	Q1/2022 (?)
N)	Investigate if services, such as flex-services should be added to BRS for Measure for billing. If so, we need to add a Resource ID to the class diagram(s) and extend the Basic assumption chapter.	This is a to-remember item	When the flex project is finalised
O)	Make a preproposal for update of the definition of the «Harmonised Role» Resource Provider. Among others we think it is the BRP that sends schedules and not the Resource Provider and we think the term “manages” could be clarified.	TBD	When the flex project is finalised
P)	Investigate if we need to add something, e.g., to one of our BRSs, related to a possible “Request Customer measured data from an ESCO”	TBD	When EG1 has added “my energy data” to an IA.
Q)	Verify extensions to the definitions of roles with the group harmonising the electricity and gas markets role models before adding the extension to the role definitions in a BRS to include gas.	Continuous	When updating role definitions in BRSs

C.2 Approved (and running) projects


#	Project	EBG members	Status	Start	End
A)	RtR, Role-to-Role (hub)	All EBG	Start October 2018	Q4 2018	Q4 2021

C.3 Surveys

#	Survey	Status
A)		•

Appendix D Mapping from ebIX® class diagrams for Validated measured data for continuous metered AP to CIM

The mapping will be reviewed by ETC, while EBG will look into the definitions of classes and attributes to see if we need to update the ebIX® definitions or if we should send maintenance requests to IEC for update of the CIM definitions.



BRS attribute	BRS definition	CIM attribute	CIM definition
«Business entity» Validated measured data for continuous metered AP	The information set sent by a Metered Data Responsible to the Metered Data Administrator when exchanging validated measured data for continuous metered AP	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Accounting Point ID	The unique identification of the Accounting Point to which the validated measured data are attributed.	MarketEvaluationPoint / mRID	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended. For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
Observation period	The specific period of time the validated measured data have been measured, calculated or estimated for.	Series_Period / timeInterval	The start and end date and time for a given interval.
Registration date and time	The date and time of the validation (and storage in the database) of this set of validated measured data.	DateAndOrTime / dateTime	Date and time as per ISO 8601 YYYY-MM-DDThh:mm:ss.sssZ.
Series characteristics	The characteristics of this set of validated measured data, i.e., the product and flow direction.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Product identifier	A code specifying the energy product for the quantities in this set of validated measured data.	Series / product	The type of the product such as Power, energy, reactive power, transport capacity that is the subject of the time series.
Product measure unit	The unit of measure used for the quantities in this set of validated measured data.	Measure_Unit / name	The coded representation of the unit.
Direction	A code specifying the direction of the energy flow that was measured with this validated measured data. A flow from the Accounting Point into the Metering Grid Area is defined as production and a flow from the Metering Grid Area into the Accounting Point is defined as consumption.	MarketEvaluationPoint / type	Specifies if the Market Evaluation Point is an Exchange Point or an Accounting Point.

BRS attribute	BRS definition	CIM attribute	CIM definition
Resolution	<p>The resolution is the time between two observations, leading to the number of observations in this timeseries (calculated from the Observation Period divided by the Resolution).</p> <p>The Observation Period must contain a whole number of observations as derived from the resolution.</p> <p>The resolution is expressed in compliance with ISO 8601 in the following format:</p> <p style="text-align: center;">PnYnMnDTnHnMnS.</p> <p>For example PT15M for 15 minutes resolution.</p>	Series / resolution	The number of units of time that compose an individual step within a period.
Rest Volume	The Rest Volume is used for a volume that cannot be related to the 'normal' measured time series observations, i.e., the difference, for the Observation Period, between the start- and end meter read and the aggregated volume from the exchanged time series.	Quantity / quantity	<p>The quantity value.</p> <p>The association role provides the information about what is expressed.</p>
Register read	A read from the register of the Meter linked to the Accounting Point and characteristics of the read. This read is at the basis of the validated measured data in the Observation.	N/A	
Read ¹	The value as read from or calculated for the register, for this Read date and time in the Observation period.	Point / quantity	Principal quantity identified for a point.
Read date and time	The timestamp of the moment in time when the value was registered in the Register of the Meter or the value was calculated for.	N/A	
Origin	A code specifying the role of the party that has retrieved or calculated the read.	N/A	
Read quality	The quality of this read, such as estimated, remotely read or physically read.	Point / quality	The quality of the information being provided. This quality may be estimated, not available, as provided, etc.

¹ If the Register read is missing, the Meter Reading Origin Code shall be “E28 From Metered Data Responsible” and the Quantity Quality Code shall be “56 Estimated”.

BRS attribute	BRS definition	CIM attribute	CIM definition
Meter ID	The unique identification of the Meter linked to the Accounting Point, which contains the register that has been read.	N/A	
Register ID	The unique identification of the Register within the Meter, where this data has been read from or is estimated for.	N/A	
Observation	One validated measured value within a timeseries.	N/A	
Position	The ordinal position of this Observation in this Observation Period for this set of validated measured data.	Point / position	A sequential value representing the relative position within a given time interval.
Quantity	The validated quantity of energy for this Observation.	Point / quantity	Principal quantity identified for a point.
Quantity quality	The quality of this quantity (volume), such as validated (default value, hence not sent), estimated, or temporary.	Point / quality	The quality of the information being provided. This quality may be estimated, not available, as provided, etc.
Origin	A code specifying the role of the party delivering the Quantity.	N/A	
Validated measured data for continuous metered AP additions	Additional information, related to validated measured data, the use of which may be agreed on a national level.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.
Transaction ID	The unique identification of this set of information as given by the Metered Data Responsible.	Series / mRID	Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended. For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.
Validated measured data for continuous metered AP async additions	Additional information related to validated measured data needed when using asynchronous communication.	Series	A set of similar physical or conceptual objects defined for the same period or point of time.

BRS attribute	BRS definition	CIM attribute	CIM definition
Reference to request	Information about the request for this set of validated measured data for continuous metered AP which uniquely identifies it.	Series / mRID	<p>Master resource identifier issued by a model authority. The mRID is unique within an exchange context. Global uniqueness is easily achieved by using a UUID, as specified in RFC 4122, for the mRID. The use of UUID is strongly recommended.</p> <p>For CIMXML data files in RDF syntax conforming to IEC 61970-552, the mRID is mapped to rdf:ID or rdf:about attributes that identify CIM object elements.</p>

Target \ Source	1 DateAndOrTime	2 MarketEvaluationPoint	3 Measure_Unit	4 Point	5 Quantity	6 Series	7 Series_Period
1 Observation				Quant... → quantity Maps To Position → position Maps To Quantity → quantity			
2 Register read				Read → quantity Maps To Read ... → quantity			
3 Series characteristics		Direct... → type Maps To	Produ... → name Maps To		Rest V... → quantity Maps To	Produ... → product Maps To Resol... → resolu... Maps To	
4 Validated measured dat...	Regist... → dateTi... Maps To	Accou... → mRID Maps To				Maps To Obser... → timel... Maps To	
5 Validated measured dat...						Trans... → mRID Maps To	
6 Validated measured dat...						Maps To Refer... → mRID Maps To	