

Business Requirements for End of Metered Data Responsible

Status:Approved by ebIX® ForumVersion:4.0Revision:CDate:October 2023

CONTENT

Α.	About this document				
A.1.	A.1. References				
A.1.	A.1.1. Standards				
A.1.	A.1.2. eblX [®] Documents				
A	.2.	Maii	n changes since last version	5	
1.	Busi	ness	Requirements View: End of Metered Data Responsible	6	
1.	1.	End	of Metered Data Responsible (Business Process UseCase)	6	
	1.1.1	1.	Description	6	
	1.1.2	2.	Business Process	7	
	1.1.3	3.	Request end of Metered Data Responsible	8	
	1.	1.3.1	. Description	8	
	1.	1.3.2	. Business Process	9	
	1.1.4	4.	Notify Accounting Point Characteristics 1	0	
1.	2.	Busi	ness Partner View 1	1	
	1.2.2	1.	Business Partners: End of Metered Data Responsible 1	.1	
1.	3.	Busi	ness Entity View1	2	
	1.3.2	1.	Short introduction 1	2	
	1.3.2	2.	Request end of Metered Data Responsible (Class Diagram)1	.3	
	1.	3.2.1	. Element definitions: Request end of Metered Data Responsible 1	.3	
	1.3.3	3.	Confirm request end of Metered Data Responsible (Class Diagram) 1	4	
	1.	3.3.1	. Element definitions: Confirm request end of Metered Data Responsible 1	.4	
	1.3.4	4.	Reject request end of Metered Data Responsible (Class Diagram) 1	6	
	1.	3.4.1	. Element definitions: Reject request end of Metered Data Responsible 1	6	
Арр	endix	A.	Header and Context information for the class diagrams1	8	
А	.1.	Hea	der and Context Information attributes definitions1	8	
А	.2.	Req	uest end of Metered Data Responsible1	8	
А	A.3. Confirm request end of Metered Data Responsible				
А	.4.	Reject request end of Metered Data Responsible19			

A. About this document

This document is a Business Requirements Specification (BRS) for End of Metered Data Responsible process within the structuring process of the European energy market. In this BRS we use business terms for the actors, and we map them to the terms used in the Harmonised Role Model from ENTSO-E, ebIX[®] and EFET [2].

The end of Metered Data Responsible may result in the end of the Metered Data Administrator, as both roles are often within one company.

As a general introduction ebIX[®] has published a separate document "Introduction to ebIX[®] Business Requirements and Business Information Models" [4]. The introduction also includes the generic model elements that are not specific for a business process.

In line with UN/CEFACT Modelling Methodology version 2 (UMM-2) ebIX[®] defines the business requirements as the first step in modelling energy market processes. This document specifies an UMM Business Requirements View, which consist of the three sub views: Business Domain View, Business Partner View and Business Entity View.

The Business Information Model is in turn the basis for the creation of XML schema's and is the basis for the specification of web services. The Business Information Model and the syntax specific structures are specified by the "ebIX® Technical Committee" (ETC).

Since the ebIX[®] model is open for national customisation, some attributes are added as optional for usage for regional/national customisation. If used, these attributes must be specified nationally.

A.1. References

A.1.1. Standards

- UML Profile for UN/CEFACT's Modelling Methodology (UMM), Base Module 2.0., (<u>http://www.unece.org/tradewelcome/un-centre-for-trade-facilitation-and-e-business-uncefact/outputs/technical-specifications/uncefact-modelling-methodology-umm.html</u>);
- [2] UML Profile for UN/CEFACT's Modelling Methodology (UMM), Foundation Module, 2.0. (<u>http://www.unece.org/tradewelcome/un-centre-for-trade-facilitation-and-e-business-uncefact/outputs/technical-specifications/uncefact-modelling-methodology-umm.html</u>);
- [3] The Harmonized Role Model (for the Electricity Market) by ebIX[®], ENTSO-E, and EFET (www.ebix.org).

A.1.2. ebIX[®] Documents

- [4] Introduction to ebIX[®] Business Requirements and Business Information Models (www.ebix.org);
- [5] Recommended Identification Schemes for the European Energy Market (www.ebix.org);
- [6] ebIX[®] code lists (<u>www.ebix.org</u>);
- [7] ebIX[®] Business Requirements for measure for determine meter read (www.ebix.org);
- [8] ebIX[®] Business Requirements for Alignment of Accounting Point Characteristics (www.ebix.org).

Old	New	Clarification	Date
Version 4.0			
3r2B	4r0A	Recast of BRS	20190502
4r0A	4r0B	 Harmonised the introduction with other ebIX[®] BRSs. Moved Reference to requesting Transaction ID to Async Additions. Update of roles to be in line with the ebIX[®], EFET and ENTSO-E Harmonised Electricity Market Role Model version 2022-01. Updated attribute sequence in class diagrams. Hiding attributes from the root class in Appendix A, to make the class. 	20230815
4r0A	4r0C	Spelling corrections.	20231002

A.2. Main changes since last version

1. Business Requirements View: End of Metered Data Responsible

1.1. End of Metered Data Responsible (Business Process UseCase)




Figure 1 End of Metered Data Responsible

1.1.1. Description

UseCase description: End of Metered Data Responsible		
definition	This is a process where the Metered Data Responsible requests end of its responsibility for the Accounting Point by a given date to be registered in the Metering Point administration.	
	The Metering Point Administrator confirms it and makes all necessary updates for the end Metered Data Responsible, including distribution of master data for alignment of the business partner data bases.	
beginsWhen	When the Metered Data Responsible sends a request for end of its responsibility to the Metering Point Administrator.	
preCondition	The Metered Data Responsible is responsible on the considered Accounting Point.The Metered Data Responsible has notified the Customer of end of its responsibility.	
endsWhen	When the requesting end of Metered Data Responsible has been confirmed. Master data have been distributed to Linked Parties.	

postCondition	The end of Metered Data Responsible is updated in the Metering Point			
	administration and all relevant parties have aligned master data.			
exceptions	The request for end of Metered Data Responsible has been rejected and			
	nothing is changed in the Metering Point administration.			
	Dependent on national rules, the end of Metered Data Responsible process			
	and the processes triggered by the end of Metered Data Responsible			
	process (see below) may stop if a request for change of Metered Data			
	Responsible process is started before the confirmed end date.			
	The end of metered data responsibility may trigger other processes, based on national rules:			
	 Change of Administrative status of Accounting Point; to be set to inactive. 			
	Physical disconnection of the Accounting Point.			
	 Removal of meter(s). 			
actions	See 1.1.2			

1.1.2. Business Process





Figure 2 Business Process end of Metered Data Responsible





1.1.3.1. Description

UseCase description	on: Request end of Metered Data Responsible
definition	The Metered Data Responsible informs the Metering Point Administrator that it is Metered Data Responsibility for the indicated Accounting Point ends per given date.
beginsWhenWhen the Metered Data Responsible initiates an end of Metered Data Responsible process.	
preCondition The Metered Data Responsible is responsible for the Accounting Po	
endsWhen	When the request for end of Metered Data Responsible has been confirmed.
postCondition	The request for end of Metered Data Responsible is confirmed by the Metering Point Administrator to the Metered Data Responsible.
exceptions	The request for end of Metered Data Responsible has been rejected. National rules may link this process to other processes, such as change of meter.
actions	See 1.1.3.2

1.1.3.2. Business Process




Figure 4 Request end of Metered Data Responsible

1.1.4. Notify Accounting Point Characteristics

In order for all Linked Roles to operate properly they will be notified with Accounting Point characteristics. *Notify Accounting Point Characteristics* is documented in a separate BRS, see [8]. In that BRS (Alignment of Accounting Point Characteristics), the "Linked Roles" are specified.

1.2. Business Partner View

1.2.1. Business Partners: End of Metered Data Responsible




Figure 5 Business Partner: End of Metered Data Responsible

1.3. Business Entity View

1.3.1. Short introduction

A general introduction to the Business Data View can be found in the Introduction to ebIX[®] Business Requirements and Business Information Models (<u>www.ebix.org</u>), [4].

1.3.2. Request end of Metered Data Responsible (Class Diagram)




Figure 6 Request end of Metered Data Responsible

1.3.2.1. Element definitions: Request end of Metered Data Responsible

«Business entity»	The information set sent by a Metered Data Responsible to	
Request end of Metered Data	the Metering Point Administrator when requesting end of	
Responsible	Metered Data Responsible.	
End date	The date from which the Metered Data Responsible	
	requests to end the metered data responsibility for this	
	Accounting Point.	
Metered Data	The unique identification of the requesting Metered Data	
Responsible ID	Responsible.	
Accounting Point ID	The unique identification of the Accounting Point the end of	
	Metered Data Responsible is intended for.	
Request end of Metered Data	Additional information related to request for end of	
Responsible Additions	Metered Data Responsible, to be agreed on a national level.	
Transaction ID	The unique identification of this set of information given by	
	the requesting Metered Data Responsible.	
Request end of Metered Data	Additional information, related to end of Metered Data	
Responsible Async Additions	Responsible, needed when using asynchronous	
	communication, however not used in this request.	

1.3.3. Confirm request end of Metered Data Responsible (Class Diagram)




Figure 7 Confirm request end of Metered Data Responsible

1.3.3.1. Element definitions: Confirm request end of Metered Data Responsible

«Business entity»	The information set sent by the Accounting Point	
Confirm request end of	Administrator to the requesting Metered Data Responsible	
Metered Data Responsible	to confirm this end of Metered Data Responsible.	
Confirm request end of	Information related to confirmation of end of Metered Data	
Metered Data Responsible	Responsible, to be agreed on a national level.	
Additions		
Transaction ID	The unique identification of this set of information given by	
	the requesting Metered Data Responsible.	
Business process ID	The unique identification, given by the Metering Point	
	Administrator, of this requested end of Metered Data	
	Responsible process that this response is a part of.	
Confirm request end of	Information related to the confirmation of end of Metered	
Metered Data Responsible	Data Responsible, needed when using an asynchronous	
Async Additions	communication.	
Reference to	The Transaction ID from the request.	
requesting		
Transaction ID		
End date	The confirmed requested date from when the Metered Data	
	Responsible no longer is responsible this Accounting Point.	

Г

Metered Data	The unique identification of the Metered Data Responsible	
Responsible ID	that from the end-date no longer will be metered data	
	responsible for the Accounting Point.	
Accounting Point ID	The unique identification of the Accounting Point this end of	
	Metered Data Responsible is confirmed for.	

1.3.4. Reject request end of Metered Data Responsible (Class Diagram)




Figure 8 Reject request end of Metered Data Responsible

1.3.4.1. Element definitions: Reject request end of Metered Data Responsible

«Business entity»	The information set sent by the Accounting Point	
Reject request end of	Administrator the requesting Metered Data Responsible to	
Metered Data Responsible	reject this end of Metered Data Responsible.	
Reason	A code specifying the reason for the rejection of the	
	requested end of Metered Data Responsible.	
Reject request end of	Information related to rejection of end of Metered Data	
Metered Data Responsible	Responsible, to be agreed on a national level.	
Additions		
Transaction ID	The unique identification of this set of information given by	
	the Metering Point Administrator.	
Reject request end of	Additional information, related to the end of Metered Data	
Metered Data Responsible	Responsible, needed when using asynchronous	
Async Additions	communication.	
Reference to	The Transaction ID from the request given by the requesting	
requesting	Metered Data Responsible.	
Transaction ID		

Г

Accounting Point ID	The unique identification of the Accounting Point the end of
	Metered Data Responsible is rejected for.
End date	The requested date, for this end of Metered Data
	Responsible that is rejected.

Appendix A. Header and Context information for the class diagrams

Class/attribute	Sector ¹	Description
Header and Context Information		The set of information specifying the information to be added to this payload to enable the exchange as a document.
Document Type		A code representing the document type used for the exchange of this set of information.
Business Reason		A code representing the business reason for the exchange of this set of information.
Ancillary Business Process Role		A code representing the market role taking part in this exchange together with the Responsible Role, responsible for the process/this exchange.

A.1. Header and Context Information attributes definitions

A.2. Request end of Metered Data Responsible





Figure 9 Class diagram: Header and Context Information Request end of Metered Data Responsible

18

¹ It is assumed that Accounting Points are uniquely dedicated to either electricity or to gas.



A.3. Confirm request end of Metered Data Responsible

Figure 10 Class diagram: Header and Context Information Confirm request end of Metered Data Responsible

A.4. Reject request end of Metered Data Responsible




Figure 11 Class diagram: Header and Context Information Reject request end of Metered Data Responsible